PRODUCTS AVAILABLE FROM STOCK

# COUNTERS

**REFRIGERATED AND FREEZERS** 

OK EXPERIENCE









## TECHNOLOGIES IN DORA METAL COUNTERS



#### //Proecological refrigerant R290

It is more productive and concentrated, saves energy consumption and reduces the appliance's noise level.



#### //Dust filter (option)

The condenser's dust filter separates solid particles from air protecting the condenser.



#### //Standard DM

Standard DM has advantages of typical flat working plate with smooth surface, easy to clean and resistant to damage. Tabletop thickness: 40 mm.



#### //Standard DM-S

Standard DM -S is equipped with high anti-splash back edge (H=100 mm) and gently rounded front edge with a "throat" protecting bodies of products. Both elements ensure higher hygiene standards. Tabletop thickness: 50 mm.



#### //Profiled holders

Profiled holders ensure comfort and ease of use



#### //Gaskets

Easy to replace magnetic gaskets.



## //High quality steel

The whole unit is made of attested high-grade stainless steels.



## //LED Lighting (option)

The used light is characterised by high reliability which results directly in energy saving and ensures proper illumination of chamber interior



## //Lock (option)

Possibility of mounting lock in counters with doors.



#### //Automatic condensate evaporation

Automatic condensate evaporation after evaporator defrosting cycle - ensure maintenance free operation of equipment.



### //Portatable version (option)

The portable version, i.e. on swivel castors (including 2 castors with brake) can be manufactured. This applies to the undercounter refrigerators and freezers with side engine compartment.



#### //Monitoring (option)

Remote monitoring of equipment operation.



## //Forced air circulation

Technology which ensures ideal temperature distribution in the chamber, in addition, forms a curtain preventing escape of cold air.



## //Insulation

Injected polyurethane insulation is based on 4th generation frother – Hydrofluoroolefin product invented in USA. It's environmental friendly and 10-12% more efficient than traditionally used cyclopentane.



#### //Touch Control panel

Touch control panel with automatic ECO function and sealing in IP65 standard. Energy consumption is optimized by proper management of compressor work and fans in cooling system



## //Easy change of DIRECTION of door opening

The design allows changing the direction of the door opening so that the product can be adapted to own specific requirements.



### //Adjustable stainless steel feet

Thanks to +20/-40mm regulation you can adjust counter's height to your needs.



## //Door with self-closing device

Special construction of hinge makes that you don't have to remember about closing the door.

# VERSIONS OF **REFRIGERATED AND FREEZER COUNTERS**


DOOR	DOOR	ТҮРЕ	REFRIGERATED COUNTERS (NUMBER OF COMPARTMENTS)				FREEZER COUNTERS (NUMBER OF COMPARTMENTS)		
	Book								
		Standard	•	•	•	•	•	•	•
D	solid	With sink	-	•	•	•	-	-	-
olin	Solid	For bakeries	-	•	•	-	-	-	-
in co		For preparing pizza	-	•	•	-	-	-	-
Built-in cooling		Standard	•	•	•	•	-	-	-
	glass	With sink	-	•	•	•	-	-	-
For remote cooling	solid	Standard	-	•	•	•	-	•	•
		For bakeries	-	•	•	-	-	-	-
For remo	glass	Standard	-	•	•	•	-	-	-

<sup>&</sup>quot;-" - not available "●" - available

# HIGH DYNAMICS AND EXCELLENT AIR DISTRIBUTION FRESHNESS AT YOUR FINGERTIPS

#### HIGH DYNAMICS OF COOLING AND FREEZING

Due to their role refrigerated and freezer counters are frequently opened. It causes frequent rises of temperature and risk of loss of freshness of groceries. Thanks to high dynamics of cooling systems refrigerated and freezer counters Dora Metal ensure that all groceries will stay fresh even with door opened frequently. This ability ensures also quick cooling and freezing of newly inserted items which is also crucial for their freshness and safety.




- chilling time 1h12min from +37°C to +2°C
- 5 climatic class (+40°C)

Dynamics of refrigerated counter with 3 compartments


## Proper conditions in the whole volume, excellent ventilation

Forced airflow ensures proper temperature conditions in the whole volume of compartments and quick cooling down of newly inserted groceries. Thanks to efficient cooling system and powerful fans temperature is even more stable and cooling process faster. It's especially important for keeping groceries fresh longer.

Construction of counters enables placing them in a row (built-in from both sides) without any loss to their working paramaters. For proper ventilation of cooling system appliance uses only perforation in front part.



## HOW TO READ ENERGY LABEL AND WHY THIS IS IMPORTANT?



Energy label is very important set of information about performance of given cooling appliance. This is not only obligatory element of appliance's documentation required by EU law but also information about climate conditions in which our product can work and how much it will cost us. Climatic class shows in which conditions appliance will be in line with requirements described in EU standards (higher class means more powerful appliance). Energy class shows if appliance is energy-efficient. Below example shows how energy class directly influences cost of maintenance. This is investment in our lower bills and pro-ecological activity for clean environment around us.

## **Refrigerated counter 3-compartments**



Cost of energy\* (net) Energy consumption Model

Saving vs. class D



€ 294 / year 1088 kWh / year Dora Metal DM-94003 € 87 / year



€ 381 / year 1472 kWh / year Counter in D class

## Freezer counter 3-compartments



Cost of energy\* (net)
Energy consumption
Model
Saving vs. class E



€ 720 / year 2665 kWh / year Dora Metal DM-95003 € 281 / year




€ 1001 / year 3706 kWh / year Counter in E class

\*taken cost €0,27net for 1kWh

# WE DESIGN ECOLOGICAL PRODUCTS FOR BETTER ENVIRONMENT AROUND US

Care about natural environment is the biggest challenge for us in next years. New refrigerated and freezer counters are based on ecological cooling agent R290, efficient and eco-friendly. Choose responsibly and focus on ecology - this is the best investment.





## **EASY SERVICE TECHNOLOGY**

Counters with side engine compartment are equipped with **EASY SERVICE** technology which significantly simplifies maintenance of appliance. Front grill can be easily disassembled without tools and pull out the whole aggregate module, giving access to it from both sides. All this is available without moving counter from its working position. It simplifies maintenance and saves time - these are measurable benefits for customer.

**EASY SERVICE** package includes also replaceable magnetic gaskets in doors.








## CAPACIOUS DRAWER MODULES

Drawer modules in Dora Metal counters offer wide range of options giving possibility to adapt product to your needs.

Big drawer module is a real capacity master - can store even a big case of beer (case dimension 400x300mm). High bearing capacity of drawers and high quality sliders will prove their reliability in every situation and will ensure long and trouble-free operation.

Our modules are designed based on the highest quality sliders which have been approved by NSF certificate (National Sanitation Foundation). It means that they meet the highest requirements for products in gastronomy business.




Three perforated drawers dedicated for GN container:

- for B=700mm 1/1 GN h=200mm
- for B=600mm 2/3 GN h=200mm

(only for counters with side engine compartment)






One perforated drawer dedicated for bottles or container:

- for B=700mm 1/1 GN h=200mm
- for B=600mm 2/3 GN h=200mm

(h=100mm in case of refrigerated counters with bottom engine compartment: DM-94044, DM-S-94044, DM-90044, DM-S-90044)



Two perforated drawers dedicated for GN container:

- for B=700mm 1/1 GN h=200mm
- for B=600mm 2/3 GN h=200mm

(h=100mm in case of refrigerated counters with bottom engine compartment: DM-94044, DM-S-94044, DM-90044, DM-S-90044)

You already have Dora Metal counter and want to replace door with drawers?? Nothing more simple! Well thought-out design and intuitive assembling enables replacing modules by customer. Ask one of our sales representatives for details. This option is available in counters with side engine compartment.



## **SMART DESIGN** - WE CARE ABOUT DETAILS

Counter top protrusion and legs adjusted to floor plinths


While designing professional gastronomy appliances it should be taken under consideration that assembling at customer's premises not always runs smoothly. Walls not always are straight and smooth and floor plinths not always are on drawings of kitchen. Construction of Dora Metal counters is ready for such situations.


Protruding of counter's top allows to "bypass" some pipes or other installations standing-out from walls.

Proper position of legs allows to avoid collisions with floor plinths. In such case we save customer's time who may focus on quicker launching his business.


Dora Metal counters have one more useful feature. After dismounting legs the bottom part of appliance is flat - it can be placed on concrete socle.


Counters with side engine compartment






Counters with bottom engine compartment





## Drawers over-extension >100% - possibility to insert GN container with liquid



Drawers in refrigerated and freezer counters are not only capacious and very durable - they offer also higher convenience of use

Drawer can be pulled-out further than its total length. It gives more comfortable access to groceries and offers unique possibility of placing GN container holding it horizontally.


## REFRIGERATED COUNTERS WITH SOLID DOOR

Refrigerated counters Dora Metal play a role of handy storeroom of groceries. Reliable contruction, high quality of materials and very good performance will satisfy most demanding customers.

## **MODELS WITH BUILT-IN COOLING**

DM-94044 DM-94002 DM-94003 DM-94004 DM-S-94044 DM-S-94002 DM-S-94003 DM-S-94004

Number of compartments  Position of engine  compartment					
Dimensions WxDxH [mm]	B=600 B=700	950x600x850 950x700x850	1325x600x850 1325x700x850	1825x600x850 1825x700x850	2325x600x850 2325x700x850
Refrigerant		R290	R290	R290	R290
Energy class		С	С	С	С
Climatic class		5	5	5	5
Volume [net/gross] L	B=600 B=700	96/130 144/170	126/190 190/220	189/285 285/330	252/380 380/440
Compartment suitable for	B=600 B=700	cont. 2/3 GN cont. 1/1 GN			
Energy consumption	B=600 B=700	868kWh 978kWh	868kWh 978kWh	978kWh 1088kWh	1198kWh 1289kWh
Temp. range	2 / 00	-2+10°C	-2+10°C	-2+10°C	- 2+10°C
Cooling power		605W	605W	605W	605W
Power supply		297W/230V	297W/230V	297W/230V	297W/230V
Catalogue price (top DM)	B=600 B=700	€ 1 685 € 1 811	€ 1 700 € 1 799	€ 2 042 € 2 159	€ 2 641 € 2 767
Catalogue price (top DM-S)	B=600 B=700	€ 1 841 € 1 967	€ 1 832 € 1 931	€ 2 209 € 2 329	€ 2 835 € 2 962



DM-94003 DM-S-94003 (fot)



Special construction of counters allow them to work in installations with remote cooling. Such solution allows to decrease noise level and temperature what makes work more comfortable and efficient.

### MODELS FOR REMOTE COOLING

DM-90044 DM-90002 DM-90003 DM-90004 DM-S-90044 DM-S-90002 DM-S-90003 DM-S-90004

Number of compartments
Position of engine compartment









Dimensions WxDxH [mm]		950x600x850 950x700x850	1125x600x850 1125x700x850	1625x600x850 1625x700x850	2125x600x850 2125x700x850
Cooling power		605W	605W	605W	605W
Climatic class		5	5	5	5
Temp. range		-2+10°C	-2+10°C	-2+10°C	-2+10°C
Power supply		62W/230V	62W/230V	62W/230V	62W/230V
Catalogue price (top DM)	B=600 B=700	€ 1 570 € 1 697	€ 1 465 € 1 565	€ 1 802 € 1 922	€ 2 400 € 2 527
Catalogue price (top DM-S)	B=600 B=700	€ 1 727 € 1 853	€ 1 598 € 1 697	€ 1 968 € 2 089	€ 2 597 € 2 724



Recommended refrigerant for models for remote cooling

R290

## FREEZER COUNTERS WITH SOLID DOOR

Freezer counters Dora Metal play a role of handy storeroom of groceries. Reliable contruction, high quality of materials and very good performance will satisfy most demanding customers.

## **MODELS WITH BUILT-IN COOLING**

DM-95044	DM-95002	DM-95003
DM-S-95044	DM-S-95002	DM-S-95003
950x600x850 950x700x850 R290	1325x700x850 R290	- 1825x700x850 R290
D	D	D
4	5	5
96 / 130	190 / 220	285 / 330
0 145 / 170	-	-
0 cont. 2/3 GN	cont 1/1 GN	cont. 1/1 GN
00 2125kWh 00 2375kWh -1421°C	2380kWh -1421°C	2665kWh -1421°C
495W	495W	495W
511W/230V	511W/230V	511W/230V
00 €2304	-	-
0 €2339	€ 2 361	€ 2 929
00 €2443	-	-
0 €2480	€ 2 540	€ 3 096
	DM-S-95044  950x600x850 950x700x850 R290  D  4  00 96 / 130 145 / 170 cont. 2/3 GN cont. 1/1 GN 00 2125kWh 2375kWh -1421°C 495W 511W/230V € 2 304 € 2 339	DM-S-95044 DM-S-95002









Special construction of counters allow them to work in installations with remote cooling. Such solusion allows to decrease noise level and temperature what makes work more comfortable and efficient.

## **MODELS FOR REMOTE COOLING**

DM-90502 DM-90503
DM-S-90502 DM-S-90503

Number of compartments
Position of engine compartment

Dimensions WxDxH [mm]	1125x700x850	1625x700x850
Cooling power	495W	495W
Climatic class	5	5
Temp. range	-1421°C	-1421°C
Power supply	102W / 230V	102W / 230V
Catalogue price (top DM)	€ 2 072	€ 2 643
Catalogue price (top DM-S)	€ 2 207	€ 2 810



Recommended refrigerant for models for remote cooling

## **COMPACT REFRIGERATED** AND FREEZER COUNTERS

Small 1-compartment counters are perfect supplement of kitchen equipment. Thanks to compact size (only 50cm width) and great performance they will fit in smallest kitchens and become handy storeroom of fresh groceries.








#### DM-S-94043.0 DM-S-94043.2 DM-S-93043 DM-S-95043.0 DM-S-95043.2


Door version					
Counter type	refrigerated	refrigerated	refrigerated	freezer	freezer
Door type	solid	drawers	glass	solid	drawers
Dimensions WxDxH [mm]	500x530x890	500x530x890	500x530x890	500x530x890	500x530x890
Refrigerant	R290	R290	R290	R290	R290
Energy class	С	D	С	D	D
Climatic class	5	4	5	4	4
Volume [net/gross] L	53 / 80	36 / 80	53 / 80	53 / 80	36 / 80
Compartment suitable for	shelf	1/2 GN h=150	shelf	shelf	1/2 GN h=150
	362x280mm	2/3 GN h=150	362x280mm	362x280mm	2/3 GN h=150
Energy consumption	818kWh	1051kWh	818kWh	1577kWh	1577kWh
Temp. range	-2+10°C	-2+10°C	-2+10°C	-1421°C	-1421°C
Cooling power	322W	322W	322W	232W	232W
Power supply	210W/230V	210W/230V	210W/230V	301W/230V	301W/230V
Catalogue price	€ 1 405	€ 1 616	€ 1 475	€ 1 636	€1890





DM-S-94043.2 DM-S-95043.2







DM-S-93043

## **REFRIGERATED COUNTERS FOR BAKERIES**

Refrigerated counters Dora Metal play a role of handy storeroom of groceries. Reliable contruction, high quality of materials and very good performance will satisfy most demanding customers.

### **MODELS WITH BUILT-IN COOLING**

	DM-94001 DM-S-94001	DM-94007 DM-S-94007
Number of compartments Position of engine compartment		
Dimensions WxDxH [mm]	1475x800x850	2050x800x850
Refrigerant	R290	R290
Energy class	С	С
Climatic class	5	5
Volume [net/gross] L	276 / 300	414 / 450
Compartment suitable for	trays 400x600	trays 400x600
Energy consumption	1174kWh	1314kWh
Temp. range	+2+10°C	+2+10°C
Cooling power	605W	605W
Power supply	297W/230V	297W/230V
Catalogue price (top DM)	€ 2 333	€ 2 678
Catalogue price (top DM-S)	€ 2 471	€ 2 851





Special construction of counters allow them to work in installations with remote cooling. Such solusion allows to decrease noise level and temperature what makes work more comfortable and efficient.

DM-90407

## MODELS FOR REMOTE COOLING

DM-90401

	DM-S-90401	DM-S-90407
Number of compartments Position of engine compartment		
Dimensions WxDxH [mm]	1275x800x850	1850x800x850
Cooling power	605W	605W
Climatic class	5	5
Temp. range	+2+10°C	+2+10°C
Power supply	62W / 230V	62W / 230V
Catalogue price (top DM)	€ 2 082	€ 2 427
Catalogue price (top DM-S)	€ 2 220	€ 2 597



Recommended refrigerant for models for remote cooling



## REFRIGERATED COUNTERS WITH GLASS DOOR

Refrigerated counters Dora Metal play a role of handy storeroom of groceries. Reliable contruction, high quality of materials and very good performance will satisfy most demanding customers.

#### **MODELS WITH BUILT-IN COOLING**

		DM-94005 DM-S-94005	DM-94006 DM-S-94006	DM-94008 DM-S-94008
Number of compartments				
Dimensions WxDxH [mm]	B=600 B=700	1325x600x850 1325x700x850 R290	1825x600x850 1825x700x850 R290	2325x600x850 2325x700x850 R290
Refrigerant Energy class		С	С	D
Climatic class Volume [net/gross] L	B=600 B=700	4 126 / 190 190 / 220	4 189 / 285 285 / 330	4 252 / 380 380 / 440
Compartment suitable for Energy consumption	B=600 B=700 B=600	cont. 2/3 GN cont. 1/1 GN 955kWh	cont. 2/3 GN cont. 1/1 GN 1075kWh	cont. 2/3 GN cont. 1/1 GN 1317kWh
Temp. range	B=700	1075kWh +2+10°C	1196kWh +2+10°C	1382kWh +2+10°C
Cooling power Power supply Catalogue price (top DM) Catalogue price (top DM-S)	B=600 B=700 B=600	605W 297W/230V € 1 838 € 1 937 € 1 970 € 2 069	605W 297W/230V € 2 261 € 2 385 € 2 428 € 2 551	605W 297W/230V € 2 977 € 3 107 € 3 147 € 3 276
Catalogue price (top Divi-3)	B=700	₹ ∠ 009	₹ 2 33 1	₹32/0





Special construction of counters allow them to work in installations with remote cooling. Such solusion allows to decrease noise level and temperature what makes work more comfortable and efficient.

## **MODELS FOR REMOTE COOLING**

DM-90008

DM-90006

		DM-S-90005	DM-S-90006	DM-S-90008
Number of compartments		<b>3</b> 8		8888
Dimensions WxDxH [mm]	B=600 B=700	950x600x850 950x700x850	1125x600x850 1125x700x850	1625x600x850 1625x700x850
Cooling power		605W	605W	605W
Climatic class		5	5	5
Temp. range		+2+10°C	+2+10°C	+2+10°C
Power supply		62W/230V	62W/230V	62W/230V
Catalogue price (top DM)	B=600 B=700	€ 1 604 € 1 703	€ 2 015 € 2 141	€ 2 733 € 2 863
Catalogue price (top DM-S)	B=600 B=700	€ 1 736 € 1 835	€ 2 184 € 2 311	€ 2 928 € 3 060

**DM-90005** 



Recommended refrigerant for models for remote cooling

## REFRIGERATED COUNTERS WITH SINK

Refrigerated counters Dora Metal play a role of handy storeroom of groceries. Reliable contruction, high quality of materials and very good performance will satisfy most demanding customers.

## **MODELS WITH BUILT-IN COOLING**

DM-91002 DM-91003 DM-91004 DM-91005 DM-91006 DM-91008 DM-S-91002 DM-S-91003 DM-S-91004 DM-S-91005 DM-S-91006 DM-S-91008

Number of compartments	
Door type	
Dimensions WxDxH [mm]	













Dimensions WxDxH [mm]
Refrigerant
Energy class
Climatic class
Volume [net/gross] L
Compartment suitable for
Energy consumption
Temp. range
Cooling power
Power supply
Catalogue price (top DM)
Catalogue price (top DM-S)



solid

glass

glass


glass

Dimensions WxDxH [mm]	B=600	1325x600x850	1825x600x850	2325x600x850	1325x600x850	1825x600x850	2325x600x850
	B=700	1325x700x850	1825x700x850	2325x700x850	1325x700x850	1825x700x850	2325x700x850
Refrigerant		R290	R290	R290	R290	R290	R290
Energy class		С	С	С	С	С	D
Climatic class		5	5	5	4	4	4
Volume [net/gross] L	B=600	126 / 190	189 / 285	252 / 380	126 / 190	189 / 285	252 / 380
	B=700	190 / 220	285 / 330	380 / 440	190 / 220	285 / 330	380 / 440
Compartment suitable for	B=600	cont. 2/3 GN					
	B=700	cont. 1/1 GN					
Energy consumption	B=600	868kWh	978kWh	1198kWh	955kWh	1075kWh	1317kWh
	B=700	978kWh	1088kWh	1289kWh	1075kWh	1196kWh	1380kWh
Temp. range		-2+10°C	-2+10°C	-2+10°C	+2+10°C	+2+10°C	+2+10°C
Cooling power		605W	605W	605W	605W	605W	605W
Power supply		297W/230V	297W/230V	297W/230V	297W/230V	297W/230V	297W/230V
Catalogue price (top DM)	B=600	€ 1 964	€ 2 311	€ 2 909	€ 2 102	€ 2 530	€ 3 239
	B=700	€ 2 063	€ 2 431	€ 3 036	€ 2 201	€ 2 653	€ 3 378
Catalogue price (top DM-S)	B=600	€ 2 129	€ 2 514	€ 3 144	€ 2 267	€ 2 733	€ 3 452
	B=700	€ 2 228	€ 2 635	€ 3 270	€ 2 366	€ 2 857	€ 3 582









## **REFRIGERATED COUNTERS FOR PREPARING PIZZA**

Refrigerated counters Dora Metal play a role of handy storeroom of groceries. Reliable contruction, high quality of materials and very good performance will satisfy most demanding customers.

## **MODELS WITH BUILT-IN COOLING**

DM-94042 DM-94048 DM-94051 DM-94049 DM-S-94042 DM-S-94048

Number of compartments

Position of engine compartment









Dimensions WxDxH [mm]	950x700x850/1120	1475x800x850/1030	1475x800x840/1000	1975x800x840/1000	
Refrigerant	R290	R290	R290	R290	
Energy class	С	С	С	С	
Climatic class	4	4	5	5	
Volume [net/gross] L	144 / 170	276 / 300	276 / 300	276 / 300	
Compartment suitable for	cont. 1/1 GN	trays 400x600	trays 400x600	trays 400x600	
Volume of tabletop	5x1/6 GN h=150	16x1/6 GN h=150	-	-	
Energy consumption	1026kWh	1237kWh	1174kWh	1174kWh	
Temp. range	-2+10°C	-2+10°C	-2+10°C	-2+10°C	
Cooling power	605W	605W	605W	605W	
Power supply	297W/230V	297W/230V	297W/230V	297W/230V	
Catalogue price (top DM)	€ 1 919	€ 2 733	-	-	
Catalogue price (top DM-S)	€1997	€ 2 994	-	-	
Catalogue price (top granite)	€ 2 087	€ 3 234	€ 3 234	€ 3 677	











DM-S-94051 (dedicated tabletop DM-94050.6)



(dedicated tabletop DM-94050.9)





## **Options for refrigerated and freezer counters:**

•	Door lock (price for one module [0])	€ 50
•	Wheels (set of 4pcs in it 2 with brake) for 2- and 3-compartment counters	€ 144
•	Sliders for refrigerated and freezer counters (set left+right)	€ 18
•	Plasticized grate 1/1 GN	€ 15
•	Plasticized grate 2/3 GN	€ 12
•	Lighting of compartment in refrigerated counter with door	€ 93
•	One module [1] (one drawer) in refrigerated counters	€ 230
•	One module [2] (two drawers) in refrigerated counters	€ 363
•	One module [3] (three drawers) in refrigerated counters	€ 545
•	One module [1] (one drawer) in freezer counters	€ 246
•	One module [2] (two drawer) in freezer counters	€ 393

Your Authorized Distributor

## Dora Metal Sp. z o.o



## Headquarters

**Q** ul. Chodzieska 27 64-700 Czarnków

tel. +48 67 255 20 42 fax. +48 67 255 25 15

email: sales@dora-metal.pl

## **Regional Sales Department**

ul. Racjonalizacji 5 02-673 Warszawa

tel. +48 22 847 65 86



Check also our offer of upright refrigerators and freezers::

- with solid door
- with glass door
- for bakeries
- · for remote cooling systems
- different sizes, 1- and 2-door